

# CITY OF MARYVILLE CODES ENFORCEMENT

The following field inspections are required for this project:

**Building / Plumbing: Robert Large- 865-273-3516**

- Footing-** prior to pouring footings
- Rough- in plumbing under slab-** prior to covering, need pressure test
- Concrete Slab-** after moisture barrier in place prior to pouring
- Framing-** prior to covering with insulation and exterior covering
- Plumbing Rough-in-** prior to covering with insulation and/or wall board, need pressure test on all systems
- Insulation (residential)-** after insulation, windows and doors are installed but before covering insulation with drywall. Windows & doors may be inspected on final inspection if labels are intact.
- Fire Resistive Assemblies-** after all through penetrations are firestopped as per approved system. System specifications for each type penetration will be required on site at inspection
- Final Plumbing-** after all fixtures are set are properly functioning and cross-connection prevention working
- Final Building-** after all building elements are in place and address numbers are installed on building near front entrance
- Retaining Walls – foundation and final

**Electrical: Rusty Thompson- 865-273-3517**

- Temporary Service**
- Concrete Slab-** prior to covering
- Rough-in-** prior to covering with insulation and / or wall board
- Buried Conduit-** prior to covering
- HVAC-** after equipment is in place and electrical connections made
- Service Release-** after electrical installation is essentially complete but prior to final inspection
- Final-** when all electrical work is completed and energized

**Mechanical: Maria Nelson- 865-273-3513**

- Underground inspections -** prior to covering piping, if applicable
- Concrete Slab-** prior to covering, if applicable
- Rough-in-** prior to covering with insulation and / or wall board
- Final –** upon completion/installation of all mechanical systems

**Engineering Inspections: Keith Brewer- 865-273-3515**

- Driveway Establishment-** (gravel)
- Site Grading-** before placing asphalt or concrete
- Final-** after all work is complete as per site plan

**Stormwater Inspections: Danny Baldwin- 865-273-3518**

- Commercial Erosion Control-** (straw bales, silt fence, etc.)
- Drainage Improvements-** before backfilling pipes and culvert

**Other inspections/information that may be required:**

**Electric Meter Locations-** James Bond 865-273-3328 or Steve Martin 865-273-3324

**Business Tax License-** Becky Connatser- 865-273-3461

**Fire Department-** Andrew Puckett 865-273-3615

**Water Dept.:**

- Environmental Compliance-** Danny Kimsey 865-273-3339
- Sewer Inspections-** Joe Head 865-273-3323 or Stacy Frye 865-273-3344

**Utility Service Connections-**

- New Construction:** 865-273-3474
- Existing Services Changes:** 865-273-3456

**Signs-** 865-273-3500

**Blount Co. Health Department- Septic Systems & Restaurants** 865-983-4582

**Natural Gas Service- Atmos Gas Co.** 865-379-9290